
# CANADIAN NORTH

Visual Identity Guidelines



## Here is Canadian North's visual identity. This manual defines its official usage rules. It is essential to follow these principles at all times to:

- maintain the brand's visual and tone consistency
- ensure that the brand stands out among the competition
- maximize the brand's notoriety in northern communities and wherever our wings take us.

All uses of Canadian North name and logo must comply with the standards established in this guide and must be authorized by the Marketing department. Electronic files available upon request.

0

ΠΦΠ

Do not hesitate to contact us, we'll be glad to answer your questions and comments:

#### CANADIAN NORTH Marketing and Communications

20 Cope Drive Kanata, Ontario K2M 2V8 TEL 613-254-6200 1-800-267-1247 FAX 613-254-6398 ATS 1-877-873-3718 mediarelations@canadiannorth.com

# Our Logo

Horizontal (main) Horizontal (one line) **Vertical** (stacked)

Colours



T CANADIAN NORTH



Black



**T** CANADIAN NORTH



White (reversed)



T CANADIAN NORTH



**IMPORTANT:** If full colour or black / white printing is not possible, **red must be used** or, as a last resort, the darkest colour available.

# Our Official Colours

	Main c	Main corporate colours		<b>Complementary colours</b> (can be used for secondary elements, text and applications, <b>but not</b> for the logo elements, unless they're the only available colours)		
	Light Grey	Red	Dark Red	Medium Grey	Black	
Pantone Coated	429 C	200 C	202 C (closest match)	430 C	Process Black C	
СМҮК	21-11-9-23	3-100-70-12	8-100-70-38	33-18-13-40	0-0-0-100	
RGB	162-170-173	186-12-47	145-0-47	124-135-142	0-0-0	
HEX	A2AAAD	BA0C2F	91002F	7C878E	000000	
			AN OR		IAN	

IMPORTANT:Red must only be used as an accent colour, not as a the dominant component on documents and collateral.NOTE:When printing on uncoated paper (like newsprint stock), the adapted formulas below are recommended:

	Light Grey	Red	Dark Red	Medium Grey	Black
Pantone Uncoated	428 U	199 U	201 U	430 U	Process Black U
СМҮК	28-14-17-3	0-96-80-0	8-89-59-22	47-31-29-4	0-0-0-100

# Safe Space & Minimum Size



#### Safe space

Minimal "breathing" space around the logo must be kept at all times. It is determined by using the Inuksuk head shape as a spacing unit, as shown in blue above. This represents the *minimal* requirement, so leaving more space is advisable to maximize the logo's visual impact.

**Note:** This method applies to all versions of the logo. The correct safe space is included in the electronic files (available upon request): for screen-optimized logos (JPG and PNG forma), it is the outer size of the image and for vector / commercial printing logos (EPS format), it is the size of the artboard.



#### Minimal size

As a general rule, the Inuksuk in the logo should not be printed smaller than 5 mm (3/16") high.

# Incorrect Usage

#### General rules and common mistakes

The logo must never be:









d) cut (by an element or the edge of the page)



e) split\*, reorganised or realigned \*see exceptions on page 7



f) placed on a background that reduces its legibility





 j) combined with a Web address or text other than an official tagline









k) outlined

l) contoured

# Examples of Correct Usage



- a) Full colour logo on a light photographic background that provides good legibility.
- b) White logo on a dark or saturated photographic background that provides good legibility.



c) On some special marketing and promotional items, the Inuksuk symbol can be used by itself. For example, it appears alone on the aircraft's tail. The aforementioned spacing and colour rules still apply.

 Full colour logo accompanied by promotional copy that respect the official colour palette and safe space rules.



 e) In these examples, only one colour was available (or the marketing department decided a one-colour logo would be more appropriate).

# Typography

#### Official font for print, Web and video

For all official public communications and tools, wheter printed or presented on a screen, Ranelte must be used for titles, subtitles and body text. It exists in 8 weights and 3 variants (Normal, Condensed and Extended), all with matching italics. A license can be purchased at myfonts.com/fonts/insigne/ranelte

> Ranelte (official font for all public communications)

Cond Bold Cond ExBold

Cond Thin Normal Thin Ext Thin Cond Light Normal Light Ext Light Cond Book Normal Book Ext Book Cond Regular Normal Regular Ext Regular Cond Medium Normal Medium Ext Medium Cond Demi Normal Demi Ext Demi Normal Bold Normal ExBold

**Ext Bold** Ext ExBold

For internal communications and documents, Arial should be used for compatibility reasons. It is included with most operating systems and no additional license needs to be purchased.

### rial (fallback/compatibility font for internal communications) Narrow Regular Narrow Bold **Bold**

Black

